

Figure 2(a)

Figure 2(b)

<u>300</u>




FIG. 3




FIG. 4(a)




FIG. 4(c)




FIG. 4(b)




FIG. 4(d)

	Depth	Spacing	Width	Roughness
	(um)	(um)	(um)	Factor
et	5	2	2	5.0
Riblet	8	2	2	7.3
12	10	2	2	8.9
<u></u>	5	. 2	4	4.5
Star / Clover	. 8	2 ,	`4,	6.6
ŏ	10	2	4	8.0
ar /	5		2,4	3.6
Sta	8	2	2,4	5.2
	10	2	2,4	6.2
Gradient	5	1,2,3,4	2	2.8
radi	8	1,2,3,4	2	3.8
G	10	1,2,3,4	2	4.5
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	5 5	1	1,5	7.5
<u> </u>		2	2,10	4.2
/ Circle	5	3	3,15	3.2
	8	1	1,5	11.3
Friangle	8	2	2,10	6.2
Ö	8	<i>*</i> 3	3,15	4.4
E	10,		1,5	13.9
	10	2	2,10	7.5
可對於	10	3	3,15	5.3

FIG. 5





FIG. 6






FIG. 8




FIG. 9




FIG. 10